

S-OIL SEVEN EV HYBRID 0W-20

Date of the previous version: 2021-11-23

Revision Date: 2023-08-17

Version 2

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

 Product name
 S-OIL SEVEN EV HYBRID 0W-20

 Pure substance/mixture
 Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use

Engine oil.

1.3. Details of the supplier of the safety data sheet

Supplier	S-OIL CORPORATION	
	192, Baekbeom-ro, Mapo-gu,	
	Seoul 04196, Korea	

For further information, please contact:

Contact Point	HSSEQ
E-mail Address	dolyoo@stlc.co.kr

<u>1.4. Emergency telephone number</u>

Korea

+82 2 527 6052

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification

Not classified as hazardous

2.2. Label elements

GHS label elements, including precautionary statements

Symbol(s)	Not Classified
-----------	----------------

Signal Words Not Classified

2.3. hazards Statement

Not classified

2.4. Precautionary Statements

Prevention	Not Classified
Response	Not Classified
Storage	Not Classified
Disposal	Not Classified



S-OIL SEVEN EV HYBRID 0W-20

Date of the previous version: 2021-11-23

Revision Date: 2023-08-17

Version 2

2.5. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

Environmental properties Should not be released into the environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Mixture

Chemical Name	Common Name	CAS-No	Weight %
Distillates (petroleum), hydrotreated heavy paraffinic	-	64742-54-7	86.0-<95.0
Distillates (petroleum), solvent-dewaxed heavy paraffinic	-	64742-65-0	1.0-<1.5

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

4. FIRST AID MEASURES

4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Skin contact	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be sent immediately to hospital.
Inhalation	Move to fresh air.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
4.2. Most important symptoms	and effects, both acute and delayed
Eye contact	Not classified.
Skin contact	Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
4.3. Indication of immediat	e medical attention and special treatment needed, if

4.3. Indication of immediate medical attention and special treatment nee

Notes to physician Treat symptomatically.

5. I	FIRE	-FIGHT	ING	MEAS	SURES
------	------	--------	-----	------	-------



S-OIL SEVEN EV HYBRID 0W-20

Date of the previous version: 2021-11-23

Revision Date: 2023-08-17

Version 2

5.1. Extinguishing media	
Suitable extinguishing media	Carbon dioxide (CO 2). ABC powder. Foam. Water spray or fog.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
5.2. Special hazards arising fro	om the substance or mixture
Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These maybe highly dangerous if inhaled in confined spaces or at high concentration.
5.3. Advice for fire-fighters	
Special protective equipment for fire- fighters	Wear self-contained breathing apparatus and protective suit.
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information	Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.	
6.2. Environmental precaution	ons de la constante de la const	
General Information	Do not allow material to contaminate ground water system. Try to prevent the mater or water courses. Local authorities should be advised if significant spillages cannot	
6.3. Methods and material for	or containment and cleaning up	
Methods for containment	Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.	
<u>6.4. Reference to other sect</u>	ions	
Personal Protective Equipment	See Section 8 for more detail.	
Waste treatment	See section 13.	
7. HANDLING AND STORAGE		
7.1. Precautions for safe har	ndling	

tact with skin, eyes and clothing.
e precautionary measures against static discharges. Ground/bond containers, Version GHS



S-OIL SEVEN EV HYBRID 0W-20

	21-11-23 Revision Date: 2023-08-17 Version 2
	tanks and transfer/receiving equipment.
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.
7.2. Conditions for safe	storage, including any incompatibilities
Technical measures/Storage conditions	Keep away from food, drink and animal feeding stuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.
Materials to Avoid	Strong oxidizing agents.
7.3. Specific end uses	
	S/PERSONAL PROTECTION
8.1. Control parameters	
Exposure limits	Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH (TLV) TWA 5 mg/m³ (highly refined)
	USA: OSHA (PEL) TWA 5 mg/m ³ , NIOSH (REL) TWA 5 mg/m ³ , STEL 10 mg/m ³ , ACGIH
Legend	USA: OSHA (PEL) TWA 5 mg/m ³ , NIOSH (REL) TWA 5 mg/m ³ , STEL 10 mg/m ³ , ACGIH (TLV) TWA 5 mg/m ³ (highly refined)
Exposure limits Legend 8.2. Exposure controls <u>Occupational Exposure Contro</u>	USA: OSHA (PEL) TWA 5 mg/m ³ , NIOSH (REL) TWA 5 mg/m ³ , STEL 10 mg/m ³ , ACGIH (TLV) TWA 5 mg/m ³ (highly refined) See section 16.
Legend 8.2. Exposure controls	USA: OSHA (PEL) TWA 5 mg/m ³ , NIOSH (REL) TWA 5 mg/m ³ , STEL 10 mg/m ³ , ACGIH (TLV) TWA 5 mg/m ³ (highly refined) See section 16.
Legend 8.2. Exposure controls	USA: OSHA (PEL) TWA 5 mg/m ³ , NIOSH (REL) TWA 5 mg/m ³ , STEL 10 mg/m ³ , ACGIH (TLV) TWA 5 mg/m ³ (highly refined) See section 16.
Legend 8.2. Exposure controls Occupational Exposure Contro	USA: OSHA (PEL) TWA 5 mg/m ³ , NIOSH (REL) TWA 5 mg/m ³ , STEL 10 mg/m ³ , ACGIH (TLV) TWA 5 mg/m ³ (highly refined) See section 16. bls Apply technical measures to comply with the occupational exposure limits. When workin confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.
Legend 8.2. Exposure controls Occupational Exposure Contro Engineering Measures	USA: OSHA (PEL) TWA 5 mg/m ³ , NIOSH (REL) TWA 5 mg/m ³ , STEL 10 mg/m ³ , ACGIH (TLV) TWA 5 mg/m ³ (highly refined) See section 16. bls Apply technical measures to comply with the occupational exposure limits. When workin confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.
Legend 8.2. Exposure controls <u>Occupational Exposure Contro</u> Engineering Measures Personal Protective Equipmen	 USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH (TLV) TWA 5 mg/m³ (highly refined) See section 16. DIs Apply technical measures to comply with the occupational exposure limits. When workin confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as
Legend 8.2. Exposure controls <u>Occupational Exposure Contro</u> Engineering Measures Personal Protective Equipmen General Information	 USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH (TLV) TWA 5 mg/m³ (highly refined) See section 16. DIS Apply technical measures to comply with the occupational exposure limits. When workin confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied. None under normal use conditions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their
Legend 8.2. Exposure controls Occupational Exposure Control Engineering Measures Personal Protective Equipmen General Information Respiratory protection	 USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH (TLV) TWA 5 mg/m³ (highly refined) See section 16. Apply technical measures to comply with the occupational exposure limits. When workin confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied. None under normal use conditions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.



S-OIL SEVEN EV HYBRID 0W-20

Date of the previous version: 2021-11-23

Revision Date: 2023-08-17

Version 2

instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

Environmental exposure controls

General Information

The product should not be allowed to enter drains, water courses or the soil.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Property pHValuesRemarks Not applicable Not applicable Not applicableMethodBoiling point/boiling range Flash point230 °CCleveland Open Cup (COC)Evaporation rate Flammability Limits in Air Vapor Pressure Vapor densityNo information available No informa	Color Physical State @20°C Odor		Amber Liquid Characteristic	
Flash point230 °CCleveland Open Cup (COC)Evaporation rateNo information availableNo information availableFlammability Limits in AirNo information availableNo information availableVapor PressureNo information availableNo information availableVapor density845.5 kg/m³@ 15 °CDensity845.5 kg/m³@ 15 °CWater solubilityInsolubleSolubility in other solventsNo information availablelogPowNo information availableAutoignition temperatureNo information availableViscosity, kinematic45.08 mm²/s@ 40 °CExplosive propertiesNot explosiveOxidizing PropertiesNot applicable	рН	<u>Values</u>	Not applicable	<u>Method</u>
	Flash point Evaporation rate Flammability Limits in Air Vapor Pressure Vapor density Density Water solubility Solubility in other solvents logPow Autoignition temperature Viscosity, kinematic Explosive properties	845.5 kg/m ³ 45.08 mm ² /s Not explosive	No information available No information available No information available No information available @ 15 °C Insoluble No information available No information available No information available	Cleveland Open Cup (COC)
	•			

9.2. Other information

10. STABILITY AND REACTIVITY

10.1. Reactivity

General Information

No information available.

10.2. Chemical stability

Stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.)

10.5. Incompatible Materials



S-OIL SEVEN EV HYBRID 0W-20

Date of the previous version: 2021-11-23

Revision Date: 2023-08-17

Version 2

Materials to Avoid Strong oxidizing agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition None under normal use. Product

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects Product Information

Skin contact	. Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Eye contact	. Not classified.
Inhalation	. Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system
Ingestion	. Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Acute toxicity- Component Information

Acute toxicity- component in		Dammal	lub eletien
Chemical name	Oral	Dermal	Inhalation
Distillates (petroleum), hydrotreated heavy paraffinic	LD50 > 5000 mg/kg bw (rat – OECD 420)	LD50 > 5000 mg/kg bw (rabbit – OECD 402)	LC50 > 5 mg/l (4h, aerosol) (rat – OECD 403)
Distillates (petroleum), solvent-dewaxed heavy paraffinic	LD50 > 5000 mg/kg (rat – OECD 401)	LD50 > 5000 mg/kg (rabbit – OECD 402)	LC50 > 5.53 mg/l (4hr) (rat – OECD 403)
Skin corrosion/irritation	Not classified.		
<u>Serious eye damage/eye</u> irritation	Not classified.		
Sensitization			
Sensitization	Not classified as sensitiza	Not classified as sensitization.	
Specific effects			
Carcinogenicity Mutagenicity Reproductive toxicity	This product is not classified carcinogenic. This product is not classified as mutagenic. This product does not present any known or suspected reproductive hazards.		
Repeated Dose Toxicity			
Subchronic toxicity	No information available.		
Target Organ Effects (STOT)			
Target Organ Effects (STOT)	No information available.		
Other information			

Version 2



MATERIAL SAFETY DATA SHEET

S-OIL SEVEN EV HYBRID 0W-20

 Date of the previous version: 2021-11-23
 Revision Date: 2023-08-17

Other adverse effects	Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).
Aspiration hazard	Not classified as aspiration hazard

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified.

Acute aquatic toxicity - Component Information

Chemical name	Toxicity algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish
Distillates (petroleum), hydrotreated heavy paraffinic	EL50 > 100 mg/l (48h, Pseudokirchnerella subcapitata – OECD 201)	EL50 > 10000 mg/l (48h, Daphnia magna – OECD 202)	LL50 > 100 mg/l (96h, Oncorhynchus mykiss – OECD 203)
Distillates (petroleum), solvent-dewaxed heavy paraffinic	-	LL50 > 100 mg/l (48h, Daphnia magna)	EL50 > 10000 mg/l (96h, Pimephales promelas)

Chronic aquatic toxicity - Component Information

Chemical name	Toxicity algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish
Distillates (petroleum), hydrotreated heavy paraffinic	-	NOEL 10 mg/l (21d, Daphnia magna – QSAR Petrotox)	NOEL > 1000 mg/l (14/28d, Oncorhynchus mykiss – QSAR Petrotox)
Distillates (petroleum), solvent-dewaxed heavy paraffinic	NOEL ≥ 100 mg/l (72h, Pseudokirchneriella subcapitata)	NOEL 10 mg/l (21d, Daphnia magna)	NOEL 1000 mg/l (14d, Oncorhynchus mykiss)

Effects on terrestrial organisms

No information available.

General Information

No information available.

12.2. Persistence and degradability

General Information

Persistence	No information available.

degradability No information available.

12.3. Bioaccumulative potential

Product Information	No information available.
---------------------	---------------------------

logPow No information available.

12.4. Mobility in soil

Soil

Given its physical and chemical characteristics, the product generally shows low soil mobility.



S-OIL SEVEN EV HYBRID 0W-20

Date of the previous version: 2021-11-23

Revision Date: 2023-08-17

Version 2

Air	Loss by evaporation is limited.
Water	Insoluble. The product spreads on the surface of the water.
12.5. Results of PBT and	vPvB assessment
PBT and vPvB assessment	No information available.
12.6. Other adverse effec	<u>ts</u>
General Information	No information available
13. DISPOSAL CONSIDER	ATIONS
13.1. Waste treatment me	ethods
Waste from Residues / Unused Products	Should not be released into the environment. Do not empty into drains. Dispose of in accordance with all applicable national environmental laws and regulations. Where possible recycling is preferred to disposal or incineration.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
Other information	Refer to section 8 for safety and protective measures for disposal personnel.
14. TRANSPORT INFORM	ATION
ADR/RID	Not regulated
IMDG/IMO	Not regulated
	Not regulated
ADN	Not regulated
15. REGULATORY INFOR	MATION

<u>15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture</u>

International Inventories

Further information

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

16. OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3 No information available



S-OIL SEVEN EV HYBRID 0W-20

Date of the previous version: 2021-11-23 Revision Date: 2023-08-17 Version 2 Abbreviations, acronyms Legend Section 8 Sensitizer Skin designation + ** C: Hazard Designation Carcinogen M: Mutagen R: Toxic to reproduction **Revision Date:** 2023-08-17 **Revision Note** *** Indicates updated section.

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet